	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	255	(327/539).CCLS.	US-PGPUB; USPAT
2	IS&R	L2	216	(327/515).CCLS.	US-PGPUB; USPAT
3	IS&R	L3	581	(327/512).CCLS.	US-PGPUB; USPAT
4	IS&R	L4	769	(327/513).CCLS.	US-PGPUB; USPAT
5	BRS	L5	719	4 not 3	US-PGPUB; USPAT
6	BRS	L6	7	"6271710"	US-PGPUB; USPAT
7	IS&R	L7	1	("6271710").PN.	US-PGPUB; USPAT
8	BRS	L8	8	("4464631" | "4673867" | "4769589" | "5081380" | "5144223" | "5221888" | "5399960" | "5614816").PN.	US-PGPUB; USPAT; USOCR
9	BRS	L9	4	("6271710").URPN.	USPAT
10	BRS	L10	1515	constant adj current same current near3 temperature	USPAT
11	BRS	L11	1162	constant adj current with current near3 temperature	USPAT
12	BRS	L12	242	11.clm.	USPAT
13	BRS	L13	36	constant adj current with current near3 temperature with (add$3 combin$3)	USPAT
14	BRS	L14	6	("5781043" | "5864504" | "6016051" | "6060874" | "6091286" | "6160391").PN.	US-PGPUB; USPAT; USOCR
15	BRS	L15	23	constant adj current with current near3 temperature with (combin$3 add$3)	USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	270	constant adj current with current near3 temperature	US-PGPUB
17	BRS	L17	13	16 with (add$3 combin$3)	US-PGPUB

	Type	L #	Hits	Search Text	DBs
1	IS&R	L2	582	(327/512).CCLS.	US-PGPUB; USPAT
2	BRS	L3	11	("5481180" | "5512817" | "5619163" | "5631600" | "5672961" | "5774013" | "6016051" | "6137324" | "6150872" | "6166587" | "6184723").PN.	US-PGPUB; USPAT; USOCR
3	BRS	L4	6	("6346848").URPN.	USPAT
4	IS&R	L5	771	(327/513).CCLS.	US-PGPUB; USPAT
5	BRS	L6	721	5 not 2	US-PGPUB; USPAT
6	BRS	L7	508	6 and transistor	US-PGPUB; USPAT
7	BRS	L8	6	("5781043" | "5864504" | "6016051" | "6060874" | "6091286" | "6160391").PN.	US-PGPUB; USPAT; USOCR
8	BRS	L9	4	("6452437").URPN.	USPAT
9	BRS	L10	12	("4272760" | "4604568" | "4746879" | "5121004" | "5198701" | "5281906" | "5334929" | "5428319" | "5543746" | "5640085" | "5828329" | "5852360").PN.	US-PGPUB; USPAT; USOCR
10	BRS	L11	2	("6222470").URPN.	USPAT
11	BRS	L12	2496	temperature with (var$5 adjust$) near2 frequency	USPAT
12	BRS	L13	248	12 and current adj source	USPAT
13	BRS	L14	156	13 and transistor	USPAT

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2209	current same (PTAT absolute adj temperature)	US-PGPUB; USPAT
2	BRS	L2	1161	1 and transistor.clm.	US-PGPUB; USPAT
3	BRS	L3	673	2 and resistor.clm.	US-PGPUB; USPAT
4	IS&R	L4	731	(331/176).CCLS.	US-PGPUB; USPAT
5	IS&R	L6	582	(327/512).CCLS.	US-PGPUB; USPAT
6	BRS	L7	275	6 and transistor and resistor	US-PGPUB; USPAT
7	BRS	L8	89	6 and (PTAT absolute adj temperature)	US-PGPUB; USPAT
8	IS&R	L9	771	(327/513).CCLS.	US-PGPUB; USPAT
9	BRS	L10	122	9 and (PTAT absolute adj temperature)	US-PGPUB; USPAT
10	IS&R	L11	261	(327/539).CCLS.	US-PGPUB; USPAT
11	IS&R	L12	1559	(323/315,316).CCLS.	US-PGPUB; USPAT
12	BRS	L13	267	12 and (PTAT absolute adj temperature)	US-PGPUB; USPAT